

508 (continued)

The POTW will sample and conduct surveillance and inspection activities of major contributing and non-major industries to identify independent of information supplies by Industrial Users, compliance or non-compliance with applicable pretreatment standards.

509. Surveillance Survey Charge. The minimum charge for each surveillance survey shall be \$100.00 per day with a maximum charge for (7) seven days of \$700.00. Surveillance Survey Charges are to be adjusted annually if deemed necessary by the Utilities Manager.

510. Monitoring of Major Contributors. A major contributor shall install at its own expense (a) a suitable control manhole (vault), together with such necessary appurtenances in or on each building lateral sewer to facilitate observation, sampling and measurement of the wastewater, and (b) such sampling devices as may be reasonably necessary, unless otherwise instructed by the Utilities Manager. A User may be required by the Utilities Manager to install such manholes (vault) to verify his status either as a major contributor or otherwise. Such manholes (vaults) and sampling and testing devices shall be provided and maintained to the Utilities Manager's satisfaction at the expense of the user, but shall be under the control of the POTW. The POTW shall provide monitoring equipment during a surveillance period. Monitoring equipment shall, unless otherwise specified by the POTW, include a device for automatically measuring and recording flow and a device for automatically taking a composite by-flow sample of wastewater during t twenty-four hour period.

511. Laboratory procedures used in the examination of industrial wastes shall be those set forth in "Standard Methods". However, alternative methods for certain analysis of industrial wastes may be used subject to mutual agreement between the Utilities Manager and the User provided they meet federal requirements as set forth in 40CFR136 and paragraph 505 above. The POTW shall charge to the user, the standard initial analysis of the user's wastes as well as other non-standard tests as required by the user's specific process waste loading. Regular periodic check analysis and analysis made by the Utilities Manager at the request of the user shall be charged to the user according to the standard work order billing practice. All such analysis shall be binding in determining strength of wastes surcharges and other matters dependent upon the character and concentration of wastes.

512. Use of Representative Analysis. Until an adequate analysis of a representative sample of user's wastes has been obtained, the POTW shall, for the purpose of this ordinance, make a determination of the character and concentration of the user's wastes by using data based on analysis of similar processes or data for his type of business that are available from the U.S. Environmental Protective Agency or from industry-recognized authoritative sources. This method, if selected by the POTW, shall continue at the POTW's pleasure or until an adequate analysis has been made.

513. All data collected pertaining to industrial wastes including records kept by each industrial user shall be subject to audit and review by the Environmental Protection Agency or Approval Authority upon request. The USB shall annually publish in the local newspaper a list of the Users which were not in compliance with any Pretreatment Requirements or Standards at least once during the 12 previous months. The notification shall